



Wechat

TAIZHOU SHANYING PUMP CO.,LTD

Add: Building 13, Zeguo Electromechanical Entrepreneurship Park, Wenling City, Zhejiang Province

Tel:+86 576 89933666 +86 18608118888

Fax:+86 576 89933668 E-mail: admin@tzsypump.com

Web:www.shanying-pump.com

WE ONLY PRODUCE THE PUMPS WHICH PEOPLE TRUST

Stainless steel pump series



With 30 Years of Dedicated Production
We Achieve the Quality of Today

COMPANY PROFILE

TAIZHOU SHANYING PUMP CO., LTD is a company with product development, production, sales and service. The company has a state Class B standard pump testing center, and actively implement the ISO9001 quality assurance system.

Because of our products with stable quality, energy efficient, safe and reliable, reasonable prices, favored by the users. Products Widely used in construction, fire fighting, environmental protection, drainage, HVAC, and household.

Our main products: QJ, QJD series deep well submersible pump, QGD series stainless steel screw pump, QDX, QX Series of submersible pumps, WQ series submersible sewage pump and surface pumps. our company execute modern enterprise quality management, high-tech professional technical team and first-class Production and testing equipment, product upgrading, strong pillar of stable and reliable quality. Shanying Pump with strong sales Networks and after-sales service system, the company products in the fierce market competition to achieve the initiative. With the struggling company staff Hard work, performance exponentially growing rapidly.

We follow careful selection, excellent quality, strict management, service sincerely for the guidance direction, and strive for the public sector to produce More and better products, to provide a more real and more sincere service. Companies in the manufacturing heart, soul willing to work with community service for the purpose of old and new Friends work together and dedicated cooperation, and jointly create new glories pump industry.



V2200F-S

STAINLESS STEEL SEWAGE SUBMERSIBLE PUMP



National standard motor



Stuck machine protection



Overheat protection




High lift and large flow



All stainless steel screws



Stainless steel cylinder



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)	Weight (kg)	Inlet (inch)	Bearing (RZ)	N.W (kg)	LxWxH (mm)
V250	90/120	5	6	30	11	1.2"	6201/6201	10.2	455x190x155
V370	90/140	6	7	30	11.6	1.2"	6201/6201	10.8	455x190x155
V750	120/140	20	11.5	50	18.8	2"	6202/6203	16.5	475x240x200
V1100	120/160	25	14	50	20	2"	6202/6203	17.6	485x240x200
V1500	120/170	26	15	50	21	2"	6202/6203	18.9	505x240x200
V2200	120/190	28	16	50	22	2"	6202/6203	20	515x240x200
WQD35-17-2.2S	128X180	35	17	80	34	2"	6202/6203	33	565x255x335



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

QDX-S

OIL IMMERSED SUBMERSIBLE ELECTRIC PUMP FOR PILE DRIVING



National standard motor



Stuck machine protection




Overheat protection



Bold electric cable



All stainless steel screws



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)	Weight (kg)	Inlet (inch)	Bearing (RZ)	N.W (kg)	LxWxH (mm)
Y120QDX3-35/2-1.1S	120/170	9	38	25	19	1"	6202/6203	17	495x170x215
Y120QDX3-45/3-1.5S	120/190	9	48	25	21	1"	6202/6203	18.8	535x170x215
Y120QDX3-60/4-2.2S	120/220	9	68	25	23.5	1"	6202/6203	21.5	565x170x215



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

WQD-S

OIL IMMERSED SUBMERSIBLE SEWAGE PUMP



National standard motor



Stuck machine protection




Overheat protection



Bold electric cable



All stainless steel screws



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
Y120WOD6-28/2-1.1S	120X95	12	32	50
Y120WQD6-39/3-1.5S	120X110	12	39	50
Y120WQD6-50/4-2.2S	120X120	12	50	50



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

WQD-S

STAINLESS STEEL CUTTING PUMP



National standard motor



Stuck machine protection




Overheat protection



Alloy steel knife powerful cutting



Stainless steel cylinder



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)	Weight (kg)	Inlet (inch)	Bearing (RZ)	N.W (kg)	LxWxH (mm)
WQD10-7-0.75 (Impeller)	120/150	25	10	50	12.6	2"	6202/6203	12	430x280x340
WQD10-8-1.1 (Three knife style)	120/170	30	12	50	19.6	2"	6202/6203	18	505x285x265
WQD10-12-1.5 (AB knife)	120/190	35	15	50	20.6	2"	6202/6203	19.5	510x285x230
WQD45-13-2.2S (AB knife)	128/200	45	13	80	25.8	3"	6202/6203	25	530x305x250




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

QY-S

PERMANENT MAGNET VARIABLE FREQUENCY OIL IMMERSED PORTABLE SUBMERSIBLE PUMP



Permanent magnet motor



304 stainless steel material




Stepless speed regulation




High lift and large flow



High speed up to 8300 rpm



Model	Voltage (V)	Power (kW)	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
100QY80-28-7.5S	380	7.5	150	28	100



QY-S

PERMANENT MAGNET VARIABLE FREQUENCY OIL IMMERSED PORTABLE SUBMERSIBLE PUMP



Permanent magnet motor



304 stainless steel material




Stepless speed regulation




High lift and large flow



High speed up to 8300 rpm



Model	Voltage (V)	Power (kW)	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
150QY220-13-7.5S	380	7.5	260	13	150



TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

QDX-S

STAINLESS STEEL SEWAGE SUBMERSIBLE PUMP



National standard motor



Stuck machine protection




Overheat protection



Stainless steel cylinder



All stainless steel screws



NO.	Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
1	QDX1.5-16-0.37S	90X120	7	18	25
2	QDX1.5-32-0.75S	120X142	8	28	25
3	QDX10-13-0.75S	120X142	25	15	50
4	QDX3-28-1.1S	120X170	9	35	25
5	WQD5-12-1.1S	120X100	18	12	50
6	WQD6-28-1.5S	120X170	12	28	50
7	QDX6-32/2-1.5S	120X190	16	35	50
8	WQD25-7-1.5S	120X170	35	7	80
9	WQD45-7-2.2S	120X170	55	7	100
10	WQD30-10-2.2S	128X180	40	16	80



SHANYING



TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

WQD-S

DOUBLE BLADE CUTTING SEWAGE ELECTRIC PUMP



National standard motor




Double blade cutting



100% copper wire



Stainless steel cylinder



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
Y120WQD10-7-1.1S	120X120	12	14	50



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

WQD-S

LARGE CHANNEL SEWAGE ELECTRIC PUMP



National standard motor



High lift and large flow




Overheat protection



Stainless steel cylinder



Corrosion and acid resistance



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
Y120WQD15-12-1.5S	120/190	30	17	50
Y120WQD15-15-1.8S	120/240	36	20	65
Y120WQD12-16-2.2S	120/300	38	21	80



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

WQ-S

STAINLESS STEEL SEWAGE SUBMERSIBLE PUMP



National standard motor




Stuck machine protection



Overheat protection



Stainless steel cylinder



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
WQ9-22-2.2S	145/160	45	22	50
WQ25-15-2.2S	145/160	60	15	80
WQ15-20-3S	145/200	50	20	50
WQ40-13-3S	145/200	65	13	80
WQ50-7-3S	145/200	80	7	100



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

V750-S

SUBMERSIBLE SEWAGE PUMP



National standard motor



Stuck machine protection




Overheat protection



High lift and large flow



All stainless steel screws



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)	Weight (kg)	Inlet (inch)	Bearing (RZ)	N.W (kg)	LxWxH (mm)
V750	120/140	20	11.5	50	18.8	2"	6202/6203	16.5	475x240x200
V1100	120/160	25	14	50	20	2"	6202/6203	17.6	485x240x200
V1500	120/170	26	15	50	21	2"	6202/6203	18.9	505x240x200
V2200	120/190	28	16	50	22	2"	6202/6203	20	515x240x200



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

V1100-S

CUTTING SUBMERSIBLE PUMP



National standard motor



Stuck machine protection




Overheat protection



High lift and large flow



All stainless steel screws



Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)	Weight (kg)	Inlet (inch)	Bearing (RZ)	N.W (kg)	LxWxH (mm)
V750	120/140	20	11.5	50	18.8	2"	6202/6203	16.5	475x240x200
V1100	120/160	25	14	50	20	2"	6202/6203	17.6	485x240x200
V1500	120/170	26	15	50	21	2"	6202/6203	18.9	505x240x200
V2200	120/190	28	16	50	22	2"	6202/6203	20	515x240x200



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

2013

SUBMERSIBLE PUMP



National standard motor



Stuck machine protection




Overheat protection



Strong suction



All stainless steel screws



NO.	Model	Motor Pieces	Max.Flow (m ³ /h)	Max.Head (m)	Outlet (mm)
1	QDX1.5-16-0.37	96/120	7.5	16	25
2	QDX1.5-25-0.75	120/120	9	19	25
3	QDX3-28-1.1	120/160	9	31	25
4	QDX10-16-1.1	120/160	20	20	50
5	QDX15-11-1.5	120/160	25	17	65
6	QDX35-7-1.5	120/170	50	10	80
7	QDX8-28-1.5	120/220	15	29	50
8	WQD15-15-3	120/240	35	19	80
9	QDX40-6-2.2	120/190	68	9	100



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

2016

SUBMERSIBLE PUMP



National standard motor



Stuck machine protection




Overheat protection



Strong suction



All stainless steel screws



NO.	Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
1	QDX1.5-16-0.37	96/120	7.5	16	25
2	QDX1.5-25-0.75	120/120	9	19	25
3	QDX3-28-1.1	120/160	9	31	25
4	QDX10-16-1.1	120/160	20	20	50
5	QDX15-11-1.5	120/160	25	17	65
6	QDX35-7-1.5	120/170	50	10	80
7	QDX8-28-1.5	120/220	15	29	50
8	WQD15-15-3	120/240	35	19	80
9	QDX40-6-2.2	120/190	68	9	100



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

2019

SUBMERSIBLE PUMP



National standard motor



Stuck machine protection




Overheat protection



Strong suction



All stainless steel screws



NO.	Model	Motor Pieces	Max.Flow (m ³ /h)	Max.Head (m)	Outlet (mm)
1	QDX1.5-16-0.37	96/120	7.5	16	25
2	QDX1.5-25-0.75	120/120	9	19	25
3	QDX3-28-1.1	120/160	9	31	25
4	QDX10-16-1.1	120/160	20	20	50
5	QDX15-11-1.5	120/160	25	17	65
6	QDX35-7-1.5	120/170	50	10	80
7	QDX8-28-1.5	120/220	15	29	50
8	WQD15-15-3	120/240	35	19	80
9	QDX40-6-2.2	120/190	68	9	100



SHANYING




TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today

2025

SUBMERSIBLE PUMP



National standard motor



Stuck machine protection




Overheat protection



Strong suction



All stainless steel screws



NO.	Model	Motor Pieces	Max.Flow (m³/h)	Max.Head (m)	Outlet (mm)
1	QDX1.5-16-0.37	96/120	7.5	16	25
2	QDX1.5-25-0.75	120/120	9	19	25
3	QDX3-28-1.1	120/160	9	31	25
4	QDX10-16-1.1	120/160	20	20	50
5	QDX15-11-1.5	120/160	25	17	65
6	QDX35-7-1.5	120/170	50	10	80
7	QDX8-28-1.5	120/220	15	29	50
8	WQD15-15-3	120/240	35	19	80
9	QDX40-6-2.2	120/190	68	9	100



SHANYING



TAIZHOU SHANYING PUMP CO.,LTD

With 30 Years of Dedicated Production
We Achieve the Quality of Today